




Product Specifications

LoRa Shield

LM-130 AEB

VER: 1.2




GlobalSat WorldCom Corporation
16F., No. 186, Jian 1st Rd, Zhonghe Dist.,
New Taipei City 23553, Taiwan
Tel: 886.2.8226.3799/ Fax: 886.2.8226.3899
service@globalsat.com.tw
www.globalsat.com.tw

USGlobalSat Incorporated
14740 Yorba Court Chino, CA 91710
Tel: 888.323.8720 / Fax: 909.597.8532
sales@usglobalsat.com
www.usglobalsat.com

Product Features

- GlobalSat LM-130 LoRaWAN™ module
- Compatible with Arduino UNO, LinkIt ONE and Raspberry Pi
- BZ Pin LED (Red)
- MOST Mode LED (Green, for P1 and P2)

H/W Specifications	
LoRa Module	GlobalSat LM-130 LoRaWAN™ module
LoRa Chipset	Semtech SX-1276
LoRa Antenna	External Antenna
RF Band	868 MHz / 915 MHz
Operating Voltage	3.3V
RF Output Power	+20 dBm (MAX)
Sensitivity	-132dBm @ DR2
Dimension	61 x 53 ± 0.15 mm (TBD)
Weight	25 g (TBD)



Title: LoRa Shield / Arduino board
Size: A4
Document Number: GS-EB-LM130AEB-01-V1.0
Date: 2016/09/06
Sheet: 1 of 1
Drawn By: Terence